POSTER PRESENTATION

Open Access

ADC-1013, an agonistic CD40 antibody optimized for local immunotherapy of cancer

Sara M Mangsbo³, Sissela Broos², Erika Gustafsson³, Christina Furebring¹, Niina Veitonmäki¹, Eva Dahlen¹, Per Norlen¹, Malin Lindstedt², Thomas Tötterman³, Peter Ellmark^{1,2*}

From Society for Immunotherapy of Cancer 28th Annual Meeting
National Harbor, MD, USA. 8-10 November 2013

Local administration of immune activating antibodies may increase the efficacy and reduce the immune-related adverse events associated with systemic immunotherapy of cancer. Here we report the development of a fully human agonistic CD40 antibody (IgG1), ADC-1013, which has been optimized for local immunotherapy by increasing potency and tumor retention. ADC-1013 activates CD40 receptors on antigen-presenting cells such as dendritic cells, resulting in up-regulation of the co-stimulatory molecules CD80 and CD86, and induction of IL-12. In addition, ADC-1013 induces direct tumor killing of CD40+ tumors, e.g. via antibody-dependent cellular cytotoxicity (ADCC). The anti-tumor effects of ADC-1013 were first assessed in a bladder cancer model (EJ) in immunodeficient NSG mice. Significant anti-tumor responses were demonstrated, and further augmented in mice repopulated with human moDCs/T cells. To study the anti-tumor effects related to the immune activating properties of ADC-1013 in more detail, a human CD40 positive transgenic mouse (hCD40tg) in C57/BL-6 background was used. This transgenic mouse strain has an intact immune system and fully functional dendritic cells that are activated upon ADC-1013 treatment. Furthermore, the dendritic cells obtained from this strain are able to induce antigen specific T cell activation in vitro upon stimulation with ADC-1013. Importantly, treatment with ADC-1013 in a syngeneic bladder cancer (MB49) model, which is hCD40 negative, demonstrated that ADC-1013 induce significant tumor protection and long term immunity independent of direct tumor targeting. In addition, the anti-tumor immunity was shown to be T-cell dependent. To our knowledge, ADC-1013 represents the first

immunomodulatory antibody optimized for local immunotherapy of cancer. It is currently in late pre-clinical development and will enter clinical trials in 2014.

Authors' details

¹Alligator Bioscience AB, Lund, Sweden. ²Immunotechnology, Lund University, Lund, Sweden. ³Immunology, Genetics and Pathology, Uppsala University, Uppsala, Sweden.

Published: 7 November 2013

doi:10.1186/2051-1426-1-S1-P42

Cite this article as: Mangsbo et al.: ADC-1013, an agonistic CD40 antibody optimized for local immunotherapy of cancer. *Journal for ImmunoTherapy of Cancer* 2013 **1**(Suppl 1):P42.

**Submit your next manuscript to BioMed Central
and take full advantage of:**

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit

¹Alligator Bioscience AB, Lund, Sweden
Full list of author information is available at the end of the article