

Supplementary table 1. Clinicopathological variables correlation with PFS and OS

		PFS				OS				
		95% Confidence Interval				95% Confidence Interval				
		Median	Lower	Upper	P	Median	Lower	Upper	P	
SEX	FEMALE	6.97	3.26	23.6	0.658	FEMALE	30.1	28.59	NaN	0.928
	MALE	5.39	2.86	NaN		MALE	36.0	5.56	NaN	
AGE	≥ 66	5.67	2.99	NaN	0.301	≥ 66	30.1	5.56	NaN	0.323
	< 66	7.99	3.09	NaN		< 66	NaN	35.99	NaN	
THERAPY LINE	SECOND	7.99	3.421	23.6	0.317	SECOND	36.0	30.099	NaN	0.559
	THIRD	3.13	0.461	NaN		THIRD	11.3	0.987	NaN	
FIRST LINE - TKI	SUNITINIB	5.95	3.20	NaN	0.676	SUNITINIB	NaN	28.6	NaN	0.847
	PAZOPANIB	6.69	3.09	NaN		PAZOPANIB	30.1	22.1	NaN	
IMDC SCORE	GOOD RISK	5.79	3.09	NaN	0.677	GOOD RISK	NaN	22.1	NaN	0.596
	INTERMEDIATE RISK	5.95	2.99	23.6		INTERMEDIATE RISK	36.0	28.6	NaN	