Table 1: Demographics

Characteristics	Total N=26 (N [%])
Median age (range), years	74 (range 51-94)
Sex	
	19 (73.1%)
	7 (26.9%)
Race	
	24 (92.3%)
	1 (3.8%)
Unknown	1 (3.8%)
TNM Stage	10 (20 5%)
	10 (38.5%)
T3 N0 M0	` '
T4 N0 M0	
T2-4 N1-2 M0	8 (30.8%)
Unresectable	0 (24 60/)
	9 (34.6%) 17 (65.4%)
	17 (05.4%)
Unfit for surgery	12 (500)
	13 (50%) 13 (50%)
	13 (50%)
Cisplatin ineligible	23 (88.5%)
	3 (11.5%)
ECOG Status	3 (11.5 %)
	19 (73.1%)
	7 (26.9%)
Extent of TURBT per urologist	7 (20.5 %)
<u>.</u>	19 (73.1%)
Incomplete	,
Presence of Hydronephrosis	. (=0.70)
	7 (26.9%)
	19 (73.1%)
Neoadjuvant chemotherapy exposure	(1012/0)
	4 (15.4%)
	22 (84.6%)
Tumor PD-L1 status	(0 /)
	10 (38.5%)
	16 (61.5%)
Histology	(/
Pure urothelial	15 (57.7%)
Mixed urothelial with variant*	11 (42.3%)
TIME WI CONTRACT THE THE INTER	(

*Mixed variants histology in addition to pure urothelial component included: squamous =3; sarcomatoid=1;micropapillary=1; glandular=4; sarcomatoid+ squamous=1; micropapillary+ glandular=1. Please refer to supplementary table 1 for further details.